

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A container for storing a sample, the container comprising:
a receptacle having a lower wall and a side wall, the side wall having an inner surface,
and
a plurality of projections extending upward along and outward from the inner surface of
the side wall, the projections defining a region for receiving a sample ~~having an orientation~~, the
projections being shaped and arranged to inhibit a change in ~~the~~ an orientation and a position of
~~the~~ a sample having a size and a shape substantially mated to the size and the shape of the region
~~when stored in the container.~~
2. (Original) The container of claim 1 wherein each of the projections has a cross-section
having at least a first side, a second side, and a third side, the first side facing the inner surface of
the receptacle, the second and third sides being substantially planar.
3. (Original) The container of claim 2 wherein the second side is oriented in a direction
substantially perpendicular to the third side.
4. (Cancelled)
5. (Original) The container of claim 1 wherein the projections are formed integrally with the
receptacle.
6. (Withdrawn)
7. (Currently Amended) The container of claim 1 wherein the receptacle has a height and a
transverse cross-section having a first extent, the first extent of the cross-section being
substantially constant over the height.
8. (Withdrawn)
9. (Withdrawn)

- 
10. (Original) The container of claim 1 further comprising a cover for confining the sample within the receptacle, the cover being removably attached to the receptacle.
11. (Original) The container of claim 10 wherein the cover engages the receptacle to form a fluid-tight seal.
12. (Original) The container of claim 10 wherein the cover threadably engages the receptacle.
13. (Original) The container of claim 1 further comprising a base having a top surface, wherein the sidewall extends upward from the top surface of the base.
14. (Original) The container of claim 13 wherein the sidewall extends in a direction substantially perpendicular from the top surface of the base.
15. (Original) The container of claim 13 wherein the projections extend upward from the top surface of the base.
16. (Original) The container of claim 10 wherein the projections extend in a direction substantially perpendicular from the top surface of the base.
17. (Original) The container of claim 13 wherein the base has a first end and the container further comprises a marking panel extending from the first end of the base, the marking panel having a substantially smooth surface for receiving identifying indicia.
18. (Original) The container of claim 17 wherein the marking panel forms an angle with the top surface of the base, the angle being at least 90 degrees.
19. (Original) The container of claim 17 wherein the marking panel is formed integrally with the base.

20. (Original) The container of claim 13 wherein the base has a top surface and a bottom surface, the bottom surface having a plurality of protrusions extending downward therefrom, the protrusions being shaped and arranged to permit an identification panel containing identifying indicia to be removably and securely attached to the container.

21. (Original) The container of claim 13 wherein the base has a top surface and a bottom surface, the bottom surface having an interior recessed portion and an exterior raised portion, the exterior raised portion having a plurality of protrusions extending outward therefrom and downward toward the recessed portion, the protrusions being shaped and arranged to permit an identification panel containing identifying indicia to be removably and securely attached to the container.

22. (Currently Amended) A container for storing a sample, the container comprising:

a base having a top surface and a first end,

a receptacle extending upward from the top surface of the base, the receptacle having an inner surface and a cross-section having a substantially circular shape,

a cover threadably engaging the receptacle and forming a fluid-tight seal therewith for confining the sample within the receptacle and inhibiting desiccation thereof,

a marking panel extending from the first end of the base, the marking panel having a substantially planar surface for receiving identifying indicia, and

a plurality of projections extending upward along and outward from the inner surface of the receptacle and upward from the top surface of the base, each of the projections having at least a first side, a second side, and a third side, the first side facing the inner surface of the receptacle, the second and third sides being substantially planar, the second side being oriented in a direction substantially perpendicular to the third side, the projections being shaped and arranged to inhibit a change in the an orientation and a position of the a sample having a size and a shape substantially mated to the size and the shape of the region ~~when stored in the container.~~

23. (New) The container of claim 1, wherein the sample includes at least one of: an animal tissue sample, a human tissue sample, and a plant tissue sample.

24. (New) The container of claim 22, wherein the sample includes at least one of: an animal tissue sample, a human tissue sample, and a plant tissue sample.

